




TYPES AAR, DAAR

ARMOR RODS, ALUMINUM

For Use On: ACSR, Compacted ACSR, All Aluminum, Comp. All Aluminum, ACAR, AWAC



Right Hand Lay

CATALOG NUMBER	Conductor Range		Nominal Conductor Size	Units /ctn	Length (mm)	Wt/carton (kg)	Color code	Rod dia. (mm)	Rods/set
	(inches)	(mm)							
AAR00207	0.194 - 0.207	4.928 - 5.258	#6, 7W Al. Alloy	100	1,016	15.88	Blue	3.07	7
DAAR0207	0.194 - 0.207	4.928 - 5.258	#6, 6/1	100	1,321	20.42	Blue	3.07	7
AAR0219	0.208 - 0.219	5.283 - 5.563	#4, 7W, Comp.	100	1,016	15.88	Black	3.07	7
DAAR0219	0.208 - 0.219	5.283 - 5.563		100	1,321	20.42	Black	3.07	7
AAR0228	0.220 - 0.228	5.588 - 5.791	#5, 3-7W Al/ Alloy	100	1,016	18.15	White	3.07	8
DAAR0228	0.220 - 0.228	5.588 - 5.791	#5, 6/1	100	1,321	23.14	White	3.07	8
AAR0243	0.229 - 0.243	5.817 - 6.172	#4, 7W All Alum.	100	1,016	18.15	Brown	3.07	8
DAAR0243	0.229 - 0.243	5.817 - 6.172		100	1,321	23.14	Brown	3.07	8
AAR0259	0.244 - 0.259	6.198 - 6.579	#4, 6/1, 7/1	50	1,016	11.34	Orange	3.71	7
DAAR0259	0.244 - 0.259	6.198 - 6.579	#4, 7W, Al. Alloy	50	1,321	14.52	Orange	3.71	7
AAR0273	0.260 - 0.273	6.604 - 6.934	#3, 7W, All-Alum.	50	1,067	11.80	Green	3.71	7
DAAR0273	0.260 - 0.273	6.604 - 6.934	#2, 7W, Comp.	50	1,321	15.43	Green	3.71	7
AAR0289	0.274 - 0.289	6.960 - 7.341	#3, 7W Al. Alloy	50	1,067	13.61	Yellow	3.71	8
DAAR0289	0.274 - 0.289	6.960 - 7.341		50	1,372	17.24	Yellow	3.71	8
AAR0308	0.290 - 0.308	7.366 - 7.823	#2, 7W, All-Alum.	50	1,067	13.61	Purple	3.71	8
DAAR0308	0.290 - 0.308	7.366 - 7.823	#2, 6/1 comp.	50	1,372	17.24	Purple	3.71	8
AAR0326	0.309 - 0.326	7.849 - 8.280	#2, 6/1, 7/1	50	1,118	14.52	Red	3.45	9
DAAR0326	0.309 - 0.326	7.849 - 8.280	#2, 7W, Al. Alloy	50	1,422	18.15	Red	3.45	9
AAR0346	0.327 - 0.346	8.306 - 8.788	#1, 7W All-alum.	50	1,168	17.24	Blue	3.71	9
DAAR0346	0.327 - 0.346	8.306 - 8.788	1/0, 7W-19W comp.	50	1,473	20.87	Blue	3.71	9
AAR0366	0.347 - 0.366	8.814 - 9.296	#1, 6/1	50	1,219	18.15	Green	3.71	9
DAAR0366	0.347 - 0.366	8.814 - 9.296	#1, 7W, Al. Alloy	50	1,524	22.23	Green	3.71	9
AAR0389	0.367 - 0.389	9.322 - 9.881	1/0, 7W All-Alum.	50	1,270	20.42	Black	3.71	10
DAAR0389	0.367 - 0.389	9.322 - 9.881	2/0, 7W comp.	50	1,575	24.95	Black	3.71	10
AAR0413	0.390 - 0.413	9.906 - 10.490	1/0, 6/1	50	1,321	24.95	Yellow	4.24	9
DAAR0413	0.390 - 0.413	9.906 - 10.490	1/0, 7W, Al. Alloy	50	1,626	30.40	Yellow	4.24	9
AAR0436	0.414 - 0.436	10.516 - 11.074	2/0, 7W-19W, All-Alum.	50	1,321	21.78	Brown	3.71	10
DAAR0436	0.414 - 0.436	10.516 - 11.074	3/0, 7W, Comp.	50	1,626	26.32	Brown	3.71	10
AAR0463	0.437 - 0.463	11.100 - 11.760	2/0, 6/1, 3/0 7W Al. alloy	50	1,372	29.04	Blue	4.24	10
DAAR0463	0.437 - 0.463	11.100 - 11.760	3/0, 6/1 comp.	50	1,676	34.48	Blue	4.24	10
AAR0490	0.464 - 0.490	11.786 - 12.446	3/0, 7W-19W All Alum.	50	1,372	29.04	Green	4.24	10
DAAR0490	0.464 - 0.490	11.786 - 12.446		50	1,676	34.48	Green	4.24	10
AAR0521	0.491 - 0.521	12.471 - 13.233	3/0, 6/1	25	1,422	16.79	Orange	4.24	11
DAAR0521	0.491 - 0.521	12.471 - 13.233		25	1,727	20.87	Orange	4.24	11
AAR0551	0.522 - 0.551	13.259 - 13.995	4/0, 6/1 comp.	25	1,473	17.24	Black	4.24	11
DAAR0551	0.522 - 0.551	13.259 - 13.995	4/0, 7W-19W All-Alum.	25	1,778	20.87	Black	4.24	11
AAR0585	0.552 - 0.585	14.021 - 14.859	4/0, 6/1	25	1,524	20.87	Red	4.62	11
DAAR0585	0.552 - 0.585	14.021 - 14.859		25	1,829	24.95	Red	4.62	11
AAR0606	0.586 - 0.606	14.884 - 15.392	266.8 MCM, 19W	25	1,575	23.59	Black	4.62	12
DAAR0606	0.586 - 0.606	14.884 - 15.392		25	1,880	27.68	Black	4.62	12
AAR0630	0.607 - 0.630	15.418 - 16.002	266.8 MCM, 18/1	25	1,626	24.50	Purple	4.62	12
DAAR0630	0.607 - 0.630	15.418 - 16.002		25	1,930	28.58	Purple	4.62	12
AAR0655	0.631 - 0.655	16.027 - 16.637	266.8 MCM, 26/7	25	1,626	24.50	Yellow	4.62	12




TYPES AAR, DAAR

ARMOR RODS, ALUMINUM

For Use On: ACSR, Compacted ACSR, All Aluminum, Comp. All Aluminum, ACAR, AWAC

Right Hand Lay



CATALOG NUMBER	Conductor Range		Nominal Conductor Size	Units /ctn	Length (mm)	Wt/carton (kg)	Color code	Rod dia. (mm)	Rods/set
	(inches)	(mm)							
DAAR0655	0.631 - 0.655	16.027 - 16.637	200.6 MCM, 26/7	25	1,930	28.58	Yellow	4.62	12
AAR0679	0.656 - 0.679	16.662 - 17.247	336.4 MCM, 19W	18	1,676	19.51	Brown	4.62	13
DAAR0679	0.656 - 0.679	16.662 - 17.247		18	1,981	23.14	Brown	4.62	13
AAR0703	0.680 - 0.703	17.272 - 17.856	300 MCM, 26/7	18	1,727	23.59	Blue	5.18	12
DAAR0703	0.680 - 0.703	17.272 - 17.856		18	2,032	27.22	Blue	5.18	12
AAR0740	0.704 - 0.740	17.882 - 18.796	336.4 MCM, 26/7	18	1,829	24.50	Green	5.18	12
DAAR0740	0.704 - 0.740	17.882 - 18.796		18	2,134	29.04	Green	5.18	12
AAR0782	0.741 - 0.782	18.821 - 19.863	397.5 MCM, 18/1	18	1,829	26.77	Orange	5.18	13
AAR0814	0.783 - 0.814	19.888 - 20.676	397.5 MCM, 26/7	15	1,930	29.95	Purple	6.35	11
AAR0845	0.815 - 0.845	20.701 - 21.463	636 MCM, 19W comp.	15	1,930	29.95	Red	6.35	11
AAR0907	0.846 - 0.907	21.488 - 23.038	477 MCM, 26/7	15	1,981	33.58	Blue	6.35	12
AAR0929	0.908 - 0.929	23.063 - 23.597	636 MCM, 37W	12	2,032	29.95	Green	6.35	13
AAR0976	0.930 - 0.976	23.622 - 24.790	605 MCM, 26/7	13	2,235	32.67	White	6.35	13
AAR1016	0.977 - 1.016	24.816 - 25.806	636 MCM, 26/7	9	2,337	22.69	Yellow	7.87	11
AAR1035	1.017 - 1.035	25.832 - 26.289	795 MCM, 37-61W	6	2,388	24.95	Brown	7.87	12
AAR1064	1.036 - 1.064	26.314 - 27.026	715.5 MCM, 26/7	6	2,438	25.41	Blue	7.87	12
AAR1098	1.065 - 1.098	27.051 - 27.889	795 MCM, 24/7	6	2,438	25.41	Green	7.87	12
AAR1139	1.099 - 1.139	27.915 - 28.931	795 MCM, 26/7, 954 AAC	6	2,540	28.13	Orange	7.87	12
AAR1161	1.140 - 1.161	28.956 - 29.489	954 MCM, 36/1	6	2,540	28.58	Purple	7.87	13
AAR1208	1.162 - 1.208	29.515 - 30.683	1033.5 MCM, 37-61W	6	2,540	31.31	Red	7.87	13
AAR1269	1.209 - 1.269	30.709 - 32.233	1113 MCM, 45/7	6	2,540	36.75	Black	9.27	12
AAR1327	1.270 - 1.327	32.258 - 33.706	1192.5 MCM, 45/7	6	2,540	36.75	White	9.27	12
AAR1390	1.328 - 1.390	33.731 - 35.306	1272 MCM, 45/7	3	2,540	20.42	Yellow	9.27	13
AAR1440	1.391 - 1.440	35.331 - 36.576	1431 MCM, 45/7	3	2,540	24.50	Brown	11.07	11
AAR1508	1.441 - 1.508	36.601 - 38.303	1590 MCM, 45/7	3	2,540	26.32	Blue	11.07	12
AAR1578	1.509 - 1.578	38.329 - 40.081	1590 MCM, 54/19	3	2,540	26.32	Green	11.07	12
AAR1651	1.579 - 1.651	40.107 - 41.935	1780 MCM, 84/19	3	2,540	27.22	Orange	11.07	13
AAR1728	1.652 - 1.728	41.961 - 43.891	2156 MCM, 84/19	3	2,540	27.22	Purple	11.07	13
AAR1809	1.729 - 1.809	43.917 - 45.949		3	2,540	29.04	Red	11.07	14
AAR1898	1.810 - 1.898	45.974 - 48.209		3	2,540	29.04	Black	11.07	14